Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





Forest Service

North Central Forest Experiment Station

Resource Bulletin NC-159



Pulpwood Production in the North-Central Region, 1992

MONTHLY ALERT

Ronald L. Hackett and Ronald J. Piva RETENTION COPY For your files

North Central Forest Experiment Station
Forest Service—U.S. Department of Agriculture
1992 Folwell Avenue
St. Paul, Minnesota 55108
Manuscript approved for publication December 5, 1994
1994

CONTENTS

	Page
Lake States	2
Production	
Receipts	15
Industry Trends and Analysis	15
Central States	18
Production	
Receipts	20
Industry Trends and Analysis	21
Appendix	21



Pulpwood Production In The North-Central Region, 1992

Ronald L. Hackett and Ronald J. Piva

NOTE: This report includes all primary products made from reconstituted wood fiber. In addition to wood pulp, this includes particleboard and engineered lumber products¹ made from chips, shavings, wafers, flakes, strands, and sawdust. This report presents the production by county of the raw fiber material delivered to mills. Thus, these data report only that portion of the timber harvest used as raw material and do not necessarily reflect the volume of growing stock harvested.

Pulpwood constitutes more than half the industrial timber products harvested annually in the Lake States (Michigan, Minnesota, and Wisconsin) and is an important product in the Central States (Illinois, Indiana, Iowa, and Missouri).

Current detailed information about pulpwood production² is necessary for intelligent planning and decisionmaking in wood procurement, forest resource management, forest industry development, and scientific studies.

Since 1979, we have included logs, bolts, and wood residue used in manufacturing flake board, wafer board, oriented strand board, and medium density fiberboard in this annual report. Starting with this 1992 report, we will also include engineered lumber. Together, these products are called particleboards, and all mills manufacturing these boards will be called

Ronald L. Hackett, Research Forester, received a B.S. degree in forest resources from the University of Minnesota. He joined the Forest Service in December 1974, and has been working with the North Central Station's Forest Inventory and Analysis Unit since.

Ronald J. Piva, Forester, received a B.S. degree in forest management from the University of Missouri-Columbia. He joined the Forest Service in 1989, and has been working with the North Central Station's Forest Inventory and Analysis Unit since.

particleboard mills in this paper. Wood used at particleboard mills is identical or nearly identical to wood used at pulp mills; therefore, including this wood in our study provides a more accurate estimate of demand for pulpwood-like material.

Particleboard mills were in their infancy before 1979 and used primarily aspen and wood residue. Therefore, data for these mills do not distort roundwood use trends for other species nor preclude comparing 1992 survey results with those of 1978 and previous years.

Pulp and particleboard mills using North Central States timber in 1992 reported their pulpwood receipts³ by species group and county of origin. This report presents the results of the survey, analyzes the data, compares results with those of 1991 or earlier years, and discusses trends in pulpwood production and use.

The Lake States and Central States are discussed separately because the timber types in each area are different, the flow of wood between the areas is nominal, and more detailed data on pulpwood production and receipts in the Central States might reveal the operations of individual mills. This is the 34th annual report of the pulpwood harvest in Lake States counties and the 33rd annual report of the Central States harvest.

¹ U.S. Forest Products Laboratory. 1974. Wood handbook: wood as an engineering material. Agric. Handb. 72. Washington, DC: U.S. Department of Agriculture, Forest Service: 23-27. (Revised)

² Pulpwood production, determined from mill receipts, is the annual volume of pulpwood cut, plus the annual wood residue volume produced by saw-mills, veneer mills, etc., used for pulp, particleboard, wafer board, oriented strand board, medium density fiberboard, or engineered lumber.

³ Pulpwood receipts are the volume of wood received by mills in a specific State or region, regardless of the geographic source.

Several mills purchase their pulpwood based on weight rather than volume. Conversion factors used in the Lake States to convert green tons of pulpwood to standard cord equivalents are shown in the Appendix. Conversion factors used in the Central States are shown in footnote 1 of table 4.

LAKE STATES

Production

Pulpwood production as a whole increased to 8.8 million cords⁴ in 1992 from 8.6 million cords in 1991, a rise of 2 percent (table 1). Of each cord produced, 93 percent came from roundwood (including chips from roundwood) and 7 percent came from residue⁵ from wood-using plants (fig. 1).




Figure 1.—Lake States pulpwood production by species group, 1992.

- Principal species harvested were aspen (4.2 million cords), jack pine (732 thousand cords), hard maple (554 thousand cords), and white birch (474 thousand cords).
- Hardwoods constituted 73 percent of the total pulpwood production.
- Aspen remained the dominant pulpwood harvested—48 percent of the total.
- Softwood roundwood production dropped slightly to 1.86 million cords in 1992.
 Pulpwood production from softwood residue dropped to 36 thousand cords, an 18-percent decrease from the previous year (fig. 2).
- Whole-tree chip⁶ (WTC) production, which makes up 6 percent of the total pulpwood production in the Lake States, increased 9 percent to 559 thousand cords (fig. 3).
- Michigan is the major producer of wholetree chips in the Lake States with 361 thousand cords (65 percent of the WTC production) (fig. 4).
- Jack pine was the predominant softwood species used in WTC in 1992, making up 74 percent of the softwood WTC production and 10 percent of the total WTC production.

Michigan

• Michigan pulpwood production dropped 3 percent to 2.9 million cords in 1992 (fig. 5).

⁴ All references to cords are in standard cords. A standard cord is 128 cubic feet of wood, bark, and air space.

⁵ Residue is the byproduct from sawmills, veneer mills, cooperage mills, and other wood-using mills that is used for pulping and particleboard. Residue includes slabs, edgings, veneer cores, sawdust, woodflour, and chips manufactured from slabs, edgings, and veneer cores.

⁶ Pulpwood produced from chipping entire trees (all portions of the trees above ground, except the stumps).

Table 1.--Production and imports of pulpwood, Lakes States, 1992 1/

(In standard cords, unpeeled)

Onesias and		Production b	y State ZI	Dogional	Other	Imports	Takal	T-4-
Species and	Michigan	Minnocoto	Wissensin	Regional		0	Total	Tota
destination	Michigan	Minnesota	Wisconsin	total	U.S. 3/	Canada	imports	receipt
Cedar	6 127		016	6.252				0.05
Michigan	6,137		216	6,353	**			6,35
Total	6,137		216	6,353				6,35
Balsam fir	67.061		0.200	00.440				00.44
Michigan	67,061	400 770	2,382	69,443				69,443
Minnesota	1,742	183,778	11,305	196,825				196,82
Wisconsin	6,312	2.000	47,531	53,843				53,843
Exported 4/	7,577	3,236		10,813		*-		10,813
Total	82,692	187,014	61,218	330,924	••			330,92
Hemlock	00.007		1 100	05 150				05.45
Michigan	33,967		1,186	35,153				35,150
Wisconsin	2,816		27,805	30,621				30,62
Total	36,783		28,991	65,774		••		65,774
Jack pine				040.000				
Michigan	211,097		5,592	216,689	**			216,689
Minnesota		95,360	4,417	99,777				99,777
Wisconsin	74,813	5,884	337,049	417,746				417,746
Exported 4/		8,016		8,016			**	8,016
Total	285,910	109,260	347,058	742,228		••		742,228
Red pine			==	E0.071				
Michigan	55,496		1,455	56,951				56,95
Minnesota		13,631	1,067	14,698		••		14,698
Wisconsin	7,727	4,002	303,225	314,954	223		223	315,177
Exported 4/		4,808		4,808	••		••	4,808
Total	63,223	22,441	305,747	391,411	223		223	391,634
White pine			-					
Michigan	13,802	••	473	14,275				14,27
Minnesota		4,777		4,777				4,777
Wisconsin	472	66	41,731	42,209				42,209
Total	14,274	4,783	42,204	61,261				61,26
Spruce								
Michigan	13,335		461	13,796				13,796
Minnesota	1,360	112,903	1,547	115,810			•-	115,810
Wisconsin	44,976	28,772	38,516	112,264				112,264
Exported 4/	10,589	4,624		15,213	••			15,210
Total	70,260	146,299	40,524	257,083			••	257,083
Tamarack								
Michigan	5,686	••	208	5,894	••			5,894
Wisconsin	1,360	1,400	4,498	7,258	••			7,258
Total	7,046	1,400	4,706	13,152				13,152
Total softwood roundy								
Michigan	406,581		11,973	418,554				418,554
Minnesota	3,102	410,449	18,336	431,887			••	431,887
Wisconsin	138,476	40,064	800,355	978,895	223		223	979,118
Exported 4/	18,166	20,684	••	38,850				38,850
Total	566,325	471,197	830,664	1,868,186	223	••	223	1,868,409
Residue, softwood								
Michigan	70,390		10,588	80,978				80,978
Minnesota	••	25,651	1,390	27,041	••	622	622	27,663
Wisconsin	3,313	892	50,837	55,042	102,593	5,823	108,416	163,458
Exported 4/		682		682		••	••	68
Total	73,703	27,225	62,815	163,743	102,593	6,445	109,038	272,78
All softwoods								
Michigan	476,971		22,561	499,532				499,532
Minnesota	3,102	436,100	19,726	458,928		622	622	459,550
Wisconsin	141,789	40,956	851,192	1,033,937	102,816	5,823	108,639	1,142,576
Exported 4/	18,166	21,366		39,532				39,532
Total	640,028	498,422	893,479	2,031,929	102,816	6,445	109,261	2,141,190

(table 1 contined)

T-4	Total	Imports	Other	Regional	J. 3.10.17	Production by		Species and
Tot		Canada		-	Wisconsin	Minnesota	Michigan	destination
receip	imports	Canada	U.S. 2/	total	vvisconsin	Minnesota	michigan	Ash
00.40				26,427	2,244		24,183	Michigan
26,42				4,266	1,216	3,050	24,103	Minnesota
4,26		••		69,247	67,487	3,050	1,760	Wisconsin
69,24		••		99,940	70,947	3,050	25,943	Total
99,94	**	••	**	33,340	70,547	3,030	20,540	Aspen
057.00			••	957.082	48,404		908,678	Michigan
957,08	20.000	22.006	••	1,942,069	25,204	1,916,865	908,678	Minnesota
1,964,87	22,806	22,806			1,142,403	42,575	124,428	Wisconsin
1,309,40	••	**		1,309,406 25,374	1,142,403	25,374	124,420	Exported 4/
25,37	22,806	22,806		4,233,931	1,216,011	1,984,814	1,033,106	Total
4,256,73	22,806	22,800	••	4,233,931	1,210,011	1,304,014	1,033,100	
00.04				00.047	5.006		75 761	Balsam poplar
80,84		5.054		80,847	5,086	05 470	75,761	Michigan
90,52	5,051	5,051		85,478		85,478		Minnesota
1,23	5.054	F 051		1,234	1,171	95 479	63	Wisconsin _
172,61	5,051	5,051	**	167,559	6,257	85,478	75,824	Total
				00.007	0.040		07.404	Basswood
30,06			**	30,067	2,943	0.004	27,124	Michigan
5,13	••		••	5,132	1,451	3,681	4 000	Minnesota
48,42		••		48,422	46,460		1,962	Wisconsin
83,62	**	••		83,621	50,854	3,681	29,086	Total
								Beech
40,67	**	••		40,678	3,829		36,849	Michigan
64	••		••	648	619		29	Wisconsin _
41,32	••	••	••	41,326	4,448		36,878	Total
								White birch
222,57	••	••		222,573	67,382	**	155,191	Michigan
3,45		••		3,453		3,453		Minnesota
247,82	••	••	••	247,828	222,758	21,597	3,473	Wisconsin _
473,85		••		473,854	290,140	25,050	158,664	Total
								Yellow birch
21,26				21,260	1,699		19,561	Michigan
19,79	••	••		19,790	15,217		4,573	Wisconsin _
41,05				41,050	16,916		24,134	Total
								Cottonwood
1,23	••	••		1,234	1,172		63	Wisconsin _
1,23		••		1,234	1,172	••	63	Total
								Elm
2,68				2,688	545	••	2,143	Michigan
25,23	••	••		25,236	24,283		953	Wisconsin
27,92				27,924	24,828		3,096	Total
								Hard maple
352,60				352,608	51,480	••	301,128	Michigan
201,03				201,034	174,762	••	26,272	Wisconsin
553,64		••	**	553,642	226,242		327,400	Total
								Soft maple
274,47		••		274,475	26,659		247,816	Michigan
16,16		••		16,163	4,589	11,574		Minnesota
152,76		••		152,763	141,653	171	10,939	Wisconsin
443,40	••	••		443,401	172,901	11,745	258,755	Total
								Red oak
58,21				58,213	2,594	••	55,619	Michigan
69,62		••		69,625	67,944		1,681	Wisconsin
127,83				127,838	70,538	••	57,300	Total
				• • • • • • • • • • • • • • • • • • • •	12.5			White oak
25,26		••		25,264			25,264	Michigan
14,14		••	**	14,145	13,675	••	470	Wisconsin
39,40		••		39,409	13,675		25,734	Total
55,70				00,100	10,073		20,704	Other hardwoods
28,52				28,521	2,548		25,973	Michigan
10,75		**		10,754	9,995		759	Wisconsin
39,27				39,275	12,543		26,732	Total
		(Table		33,273	12,545		20,732	TOIdl

		Production b	y State 1/			Imports		
Species and				Regional	Other		Total	Tota
destination	Michigan	Minnesota	Wisconsin	total	U.S. 2/	Canada	imports	receipts
Total hardwood roun	dwood							
Michigan	1,905,290		215,413	2,120,703				2,120,703
Minnesota		2,024,101	32,460	2,056,561		27,857	27,857	2,084,418
Wisconsin	177,425	64,343	1,929,599	2,171,367		••		2,171,367
Exported 4/		25,374	••	25,374			•-	25,374
Total	2,082,715	2,113,818	2,177,472	6,374,005	**	27,857	27,857	6,401,862
Residue, hardwoods								
Michigan	149,877		15,184	165,061	15,672	••	15,672	180,733
Minnesota		60,079	3,886	63,965				63,965
Wisconsin	4,230		215,931	220,161			••	220,161
Total	154,107	60,079	235,001	449,187	15,672	••	15,672	464,859
All hardwoods								
Michigan	2,055,167		230,597	2,285,764	15,672	••	15,672	2,301,436
Minnesota		2,084,180	36,346	2,120,526		27,857	27,857	2,148,383
Wisconsin	181,655	64,343	2,145,530	2,391,528	••		••	2,391,528
Exported 4/		25,374		25,374				25,374
Total	2,236,822	2,173,897	2,412,473	6,823,192	15,672	27,857	43,529	6,866,721
Total all roundwood			-					
Michigan	2,311,871		227,386	2,539,257		••		2,539,257
Minnesota	3,102	2,434,550	50,796	2,488,448		27,857	27,857	2,516,305
Wisconsin	315,901	104,407	2,729,954	3,150,262	223		223	3,150,485
Exported 4/	18,166	46,058		64,224				64,224
Total	2,649,040	2,585,015	3,008,136	8,242,191	223	27,857	28,080	8,270,271
Total all residues						7000000		
Michigan	220,267		25,772	246,039	15,672		15,672	261,711
Minnesota		85,730	5,276	91,006		622	622	91,628
Wisconsin	7,543	892	266,768	275,203	102,593	5,823	108,416	383,619
Exported 4/	••	682		682			••	682
Total	227,810	87,304	297,816	612,930	118,265	6,445	124,710	737,640
All wood material								
Michigan	2,532,138		253,158	2,785,296	15,672		15,672	2,800,968
Minnesota	3,102	2,520,280	56,072	2,579,454		28,479	28,479	2,607,933
Wisconsin	323,444	105,299	2,996,722	3,425,465	102,816	5,823	108,639	3,534,104

^{2,672,319} 1/ Table may not add to totals due to rounding.

18,166

2,876,850

46,740

3,305,952

64,906

8,855,121

118,488

34,302

152,790

Exported 4/

64,906

9,007,911

^{2/} Vertical columns of figures under the box heading "Production by State" present the amount of pulpwood cut in each State.

^{3/} Mostly Western States.

^{4/} Pulpwood shipped to mills outside of region.




Figure 2.—Softwood pulpwood production in the Lake States, 1990-1992.




Figure 3.—Whole-tree chip production in the Lake States, 1987-1992.




Figure 4.—WTC production by State in the Lake States, 1992.




Figure 5.—Michigan pulpwood production by species group and residues, 1987-1992.

 The Western Upper Peninsula was the top producing region in the State with 38 percent of the roundwood harvested (fig. 6).




Figure 6.—Michigan pulpwood production by Forest Survey Unit and species groups, 1992.

 Marquette County in the Western Upper Peninsula was the top producer in Michigan with 350 thousand cords.

Minnesota

- Pulpwood production including residues increased 12 percent to 2.7 million cords in 1992 (fig. 7).
- The Northern Pine Unit remained the top pulpwood producing area in the State with 1.3 million cords (fig. 8).




Figure 7.—Minnesota pulpwood production by species group and residues, 1987-1992.




Figure 8.—Minnesota pulpwood production by Forest Survey Unit and species group, 1992.

- Aspen pulpwood production inc 1 to a new high of 1.98 million cords, a 16-percent increase over 1991.
- Softwood roundwood production declined 7 percent or 34 thousand cords from the previous year.
- St. Louis County, in the Aspen-Birch Unit, remained the top producing county with 540 thousand cords, a 9-percent increase from 1991.

Wisconsin

• Pulpwood production in Wisconsin increased 5 percent to 3.3 million cords in 1992 (fig. 9).




Figure 9.—Wisconsin pulpwood production by species group and residues, 1987-1992.

- Aspen harvest increased 12 percent to 1.2 million cords in 1992.
- Pine pulpwood production in Wisconsin accounted for 27 percent of the total harvest.
- The Northwest and Northeast Units were the top pulpwood producing areas in the State with 1.2 million cords and 1.1 million cords, respectively (fig. 10).
- Bayfield County in the Northwest Unit was the top pulpwood producing county in the State with 197 thousand cords, a 2-percent increase in harvest from 1991.




Figure 10.—Wisconsin pulpwood production by Forest Survey Unit and species group, 1992.

• In this report, we show the distribution of the harvest in two ways: first, the amount of pulpwood cut relative to the growing-stock volume in each of five major pulpwood species (fig. 11); and, second, the amount of pulpwood relative to commercial timberland area (fig. 12).

Pulpwood harvesting was most intensive in the following areas by species: (80,000 cords or more)

Species	State	Survey Unit
Jack pine	Wisconsin Michigan	Northwest, Central E. Upper Peninsula, W. Upper Peninsula, Northern Lower Peninsula
	Minnesota	Northern Pine
Red pine	Wisconsin	Central
Spruce	Minnesota	Aspen-Birch
Balsam fir	Minnesota	Aspen-Birch, Northern Pine
Aspen	Minnesota	Aspen-Birch, Northern Pine Central Hardwood
	Wisconsin	Northeast, Northwest, Central
	Michigan	E. Upper Peninsula, W. Upper Peninsula, N. Lower Peninsula

 Cutting of certain species may exceed net growth in several Survey Units of the Lake States. This disparity is probably due to disease and mortality occurring in these species. Harvesting of overmature stands of timber may be another reason. Future field surveys should help clarify these points.








Figure 11.—Cords of roundwood pulpwood (including chips from roundwood) harvested per 1,000 cords of growing-stock volume for each of the five principal pulpwood species by Forest Survey Unit, 1992. Growing-stock volume was determined during the last forest inventory in each State.












Figure 12.- Cords of pulpwood cut per 1,000 acres of timberland in principal pulpwood-producing counties, 1992. Acres of timberland (stocking of trees greater than 16.7 percent) were determined during the last inventory in each State. Locations of active pulp and particleboard mills are shown.

Receipts

- Thirty-five woodpulp and thirteen particleboard mills in the Lake States acquired 8.9 million cords of pulpwood in 1992, up 3 percent from 1991 (fig. 13).
- In 1992, Wisconsin supplied wood to 25 mills, Michigan supplied 26 mills, and Minnesota supplied 22 mills.
- Softwood residue imported from Canada declined 65 percent in 1992 to 6 thousand cords. Softwood residue imported from States outside the region increased 34 percent to 118 thousand cords. The main suppliers of the softwood residue from outside the Lake States were Montana, South Dakota, and Wyoming.

Michigan

 Eleven Michigan mills consumed 2.8 million cords, down 4 percent from 1991. Wisconsin provided more than 90 percent of the imported wood.

Wisconsin

The 20 mills in Wisconsin consumed 3.5 million cords, an increase of 21 percent from 1991. Of that total, 537 thousand cords were supplied by out-of-State sources, an increase of 30 percent from the previous year.

Minnesota

The 17 mills in Minnesota reported consuming an estimated 2.6 million cords, an increase of 8 percent over 1991. Wisconsin supplied 56 thousand cords, Michigan supplied 3 thousand cords, and Canada supplied 28 thousand cords.

Industry Trends and Analysis

Pulp Mills

In this section pulp mills will include wood fiber products such as paper, paperboard, hardboard, insulation board, and medium-density fiber board. All of these products are manufactured from wood that has been reduced to individual fibers, small fiber bundles, or fiber parts that are then formed into a mat.




Figure 13.—Numbers of industrial plants in the Lake States using a particular species or residue for pulping and particleboard, 1991-1992.

- Of the 8.9 million cords of pulpwood harvested in 1992, 6.4 million cords (72 percent) were used for wood fiber products (pulp). Of each cord used to produce pulp, 91 percent was roundwood and 9 percent was residues.
- Principal species harvested for pulp were aspen (2.2 million cords), jack pine (602 thousand cords), hard maple (536 thousand cords), and white birch (457 thousand cords).
- Aspen and other hardwoods are still the mainstays of the pulp mills in the region, but softwood use has increased steadily since 1988 (fig. 14).




Figure 14.—Pulpwood production in the Lake States for pulp by species group and residues, 1987-1992.

- Average daily woodpulp production was 18.4
 thousand tons in 1992 (table 3). Kraft mills
 accounted for 35 percent of the total production, and groundwood and other mechanical
 process mills accounted for 39 percent. The
 remaining 26 percent was split between
 sulphite and semi-chemical process mills.
- Lake States pulpwood production for pulp mills in 1990-1992 was:

Species	Production 1990 1991 1992 (Thousand cords)				
Roundwood			- /		
Aspen	2,029	2,095	2,184		
Softwoods	1,677	1,718	1,702		
Other species	2,070	1,948	2,041		
Residue	450	506	471		
Total	6,226	6,267	6,398		

Michigan

- Pulpwood production for wood fiber was 2.0 million cords in 1992. Aspen was the major pulpwood species harvested in the State with 527 thousand cords.
- Michigan mills imported 221 thousand cords of pulpwood for processing: 205 thousand cords from Wisconsin and 16 thousand cords from Western States. The State of Michigan exported 18 thousand cords to Canada for wood fiber. Wisconsin received 305 thousand cords and Minnesota received 3 thousand cords in 1992.

Minnesota

- Pulpwood harvested for wood fiber products totaled 1.4 million cords in 1992. Aspen was the predominant species harvested in the State with 835 thousand cords.
- Mills in Minnesota imported 87 thousand cords for pulp products: 3 thousand cords from Michigan, 56 thousand cords from Wisconsin, and 28 thousand cords from Canada. Minnesota exported 79 thousand cords to Wisconsin and 47 thousand cords to Canada.

Wisconsin

- Pulpwood cut for wood fiber products totaled 2.8 million cords in 1992. Aspen was the main species harvested with 823 thousand cords.
- Wisconsin mills imported 490 thousand cords of pulpwood: 305 thousand cords from Michigan, 79 thousand cords from Minnesota, 103 thousand cords from Western States, and 3 thousand cords from Canada. Wisconsin exported 205 thousand cords to Michigan and 56 thousand cords to Minnesota.

Outlook

 A 2-percent increase in market pulpwood production for wood fiber (pulp) mills in the Lake States during 1992 compares favorably with the 11.3-percent rise in U.S. paper and paperboard production.

- Total output in the U.S. paper and paperboard industry for 1992 was 83 million tons (41 million tons of paper and 42 million tons of paperboard). The output of paper and paperboard in the North-Central Region was approximately 5 million tons or 6 percent of the U.S. total in 1992.
- Pulpwood consumption in the U.S. for 1992 totaled 105 million cords, a 7-percent increase from 1991. Pulpwood consumption in the North-Central Region was 6 percent of the U.S. total for 1992.

Particleboard Mills

Particleboard is a generic term for a panel manufactured from lianocellulosic material—commonly wood—in the form of particles (as distinct from fibers). These materials are bonded together with sunthetic resin or other suitable binder, under heat and pressure, by a process in which the interparticle bonds are created wholly by the added binder and to which other materials may have been added during manufacture to improve certain properties. The many types of particleboard differ greatly in regard to size and geometry of the particle, the amount of resin (adhesive) used, and the density to which the panel is pressed. The major types of particles used for particleboard are shavings, flakes, wafers, chips, sawdust, strands, slivers, and wood wool (excelsior). Most particleboard in the U.S. is made from residues (shavings, sawdust, or chips), but some types such as waferboard require that roundwood (saw logs or pulpwood) be used. A new product called engineered lumber has been added to this generic term.

- Loggers in the Lake States harvested 2.5
 million cords of pulpwood in 1992 for
 particleboard products. For every cord of
 pulpwood used in particleboard manufacture, 94 percent came from roundwood and
 6 percent was residues from wood-using
 plants (sawmills, veneer mills, etc.).
- Principal species harvested for particleboard products were aspen (2 million cords), jack pine (130 thousand cords), and balsam poplar (81 thousand cords) (fig. 15).




Figure 15.—Pulpwood production for particle-board in the Lake States. 1987-1992.

 Annual production capacity of the Lake States particleboard and engineered lumber product plants is:

Particleboard: Company and product	Location ca (Million sq	duction pacity puare feet ch basis)
Georgia-Pacific - Particleboard	Gaylord, MI	227
Louisiana-Pacific - OSB*	Newberry, MI	55
Louisiana-Pacific - OSB*	Sagola, MI	180
Weyerhaeuser Co OSB*	Grayling, MI	180
Louisiana-Pacific - OSB*	Two Harbors, MN	65
Potlatch Corp OSB*	Grand Rapids, MN	165
Northwood Panelboard Co OSB*	Solway, MN	160
Potlatch Corp OSB*	Bemidji, MN	240
Potlatch Corp OSB*	Cook, MN	122
Louisiana-Pacific - Waferboard	Hayward, WI	230
Rodman Industries - Particleboard	Marinette, WI	22
Weyerhaeuser Co Particleboard	Marshfield, WI	60
Total		1,706
Engineered lumber:	Pro	oduction

Engineered lumber:		
Company	Location	Production capacity (Thousand cubic feet)
Trus-Joist McMillian - PSL**	Deerwood, MN	10
* Oriented strand hoard	** Parallel stranc	Llumber

• Lake States pulpwood production for particleboard mills in 1990-1992 was:

Species	1990	Production 1991 housand co	1992
Roundwood			
Aspen	1,840	1,786	2,050
Softwoods	140	158	157
Other species	103	148	183
Residue	126	194	142
Total	2,209	2,286	2,532

National housing starts increased 20 percent in 1992 to 1.2 million units. A decrease in the prime interest rate and development of new particleboard-based products accounted for the 11 percent increase in Lakes States pulpwood production for particleboard products.

Michigan

- Pulpwood harvested for particleboard products totaled 854 thousand cords in 1992; aspen made up 507 thousand cords of that total.
- The particleboard mills in Michigan imported 48 thousand cords of aspen and balsam poplar from Wisconsin. Raw materials exported for particleboard production amounted to 18 thousand cords.

Minnesota

- Timber logged for particleboard products totaled 1.2 million cords. The predominant species cut was aspen with 1.1 million cords, or 92 percent of the total.
- The particleboard mills in Minnesota imported 104 cords from Canada. In 1992, raw materials exported from the State for particleboard manufacturing totaled 27 thousand cords.

Wisconsin

- Wisconsin produced 453 thousand cords of wood for particleboard manufacturing. The main species harvested was aspen with 393 thousand cords, or 87 percent of the total.
- The mills in Wisconsin imported 48 thousand cords of both roundwood and residues for particleboard manufacturing: 3 thousand cords of softwood residues from Canada, 18 thousand cords from Michigan, and 27 thousand cords of wood from Minnesota. Wisconsin exported 48 thousand

cords to Michigan particleboard mills in 1992.

New Mills and Expansions

Major pulp mill expansion and new construction planned:

- Potlatch Corp., Cloquet, Minnesota, will rebuild a bleached kraft pulp mill, doubling its capacity by 1997.
- Louisiana-Pacific Corp. is building an OSB (oriented strand board) plant in Tomahawk, Wisconsin (scheduled for completion in later 1993 or 1994.
- Appleton Papers Inc., Combined Locks, Wisconsin, expansion is scheduled for completion in 1994.

Idle, Closed, or Converted Mills

Major pulp mills idle, closing, or converting to recycled material:

• James River Corp., Green Bay, Wisconsin, closed sulphite pulp mill only.

CENTRAL STATES

Production

 Pulpwood production in the Central States (Illinois, Indiana, Iowa, and Missouri) increased 5 percent from 339 thousand cords in 1991 to 356 thousand cords in 1992. Hardwood residue from primary wood-using mills made up 73 percent of total production. Softwood roundwood stayed steady at 11 thousand cords in 1992 (fig. 16).




Figure 16.—Pulpwood production in the Central States. 1987-1992.




Figure 17.- Production of pulpwood from roundwood (including chips from roundwood) in the Central States by counties, in standard cords, 1992. Locations of Central States and nearby pulp mills using Central States pulpwood are shown.

- Pulpwood production from soft hardwood⁷ roundwood dropped from 42 thousand cords in 1991 to 26 thousand cords in 1992—a 38 percent decrease. Hard hardwood⁸ production, on the other hand, increased from 46 thousand cords in 1991 to 54 thousand cords in 1992—a 17 percent increase. Exports of roundwood and residues from the Central States increased 12 percent to 240 thousand cords. Central States pulpwood was shipped to Kentucky, Wisconsin, Oklahoma, and Michigan mills.
- Loggers harvested pulpwood in 16 counties of Illinois; 15 counties in western and central Indiana; 5 counties in eastern Iowa; and 8 counties in northeast, central, and southeast Missouri (fig. 17).

Illinois

 Illinois produced 77 thousand cords of pulpwood in 1992, 22 percent of the total production in the Central States (fig. 18).




Figure 18.—Central States pulpwood production by species group, 1992.

 Illinois does not have any primary woodpulp mills so all pulpwood harvested is shipped to plants outside the State.

Indiana

- Pulpwood production in Indiana accounted for 42 percent of the total pulpwood harvested in the Central States region in 1992, or 150 thousand cords.
- Pulpwood shipped to mills outside the North-Central Region totaled 85 thousand cords, 57 percent of the State's total pulpwood production. The remaining 43 percent was used by mills in the Central and Lakes States regions.

Iowa

 The total pulpwood production in 1992 was 12 thousand cords, 3 percent of the region's total.

Missouri

- Missouri is the second largest producer of pulpwood material in the Central States region at 116 thousand cords or 33 percent of the region's total.
- Missouri exported 94 thousand cords or 81 percent of the State's pulpwood production to mills outside the region, mainly in Kentucky and Oklahoma.

Receipts

- Pulp mills in three Central States received 116 thousand cords in 1992, down 10 percent from 1991.
- Hardwood residue decreased 2 percent, from 85 thousand cords in 1991 to 83 thousand cords in 1992.
- No softwoods were used for pulpwood in the Central States for the ninth consecutive year.

⁷ Hardwood species with an average specific gravity of 0.50 or less.

⁸ Hardwood species with an average specific gravity greater than 0.50.

Industry Trends and Analysis

- Average daily pulp production increased in 1992 to 846 tons (table 5).
- Mills in the adjacent States remain the dominant market for Central States pulpwood.
- Hardwood residue from sawmills continues to be the dominant form of pulpwood procured from Central States mills.
- Central States production for roundwood pulpwood was 91 thousand cords in 1992, down 2 percent from 1991.

APPENDIX

Conversion Factors Used In The Lake States

Standard cords of green roundwood per green ton:

Species	Factor
Cedar	0.6329
Balsam fir	.4688
Hemlock	.4150
Jack pine	.4688
Red pine	.4688
White pine	.4777
Spruce	.5014
Tamarack	.4291
Ash	.4231
Aspen	.4291
Balsam poplar	.4083
Basswood	.5167
Beech	.3956
White birch	.4018
Yellow birch	.3723
Cottonwood	.4291
Elm	.4018
Hickory	.3701
Hard maple	.3617
Soft maple	.4083
Red oak	.3444
White oak	.3723
Other species	.4688

Table 2.--Numbers of industrial plants in the Lake States using a particular species or residue for pulping or particleboard in 1992

Species	Total			
and kind	Lake		State	
of material	States	Michigan	Minnesota	Wisconsin
Ash	17	7	1	9
Aspen	42	10	15	17
Balsam fir	14	2	5	7
Balsam poplar	14	7	6	1
Basswood	13	6	2	5
Beech	7	6		1
Cedar	2	2		
Cottonwood	1			1
Elm	7	2		5
Hard maple	18	8		10
Hemlock	8	2		6
Jack pine	18	3	7	8
Red oak	15	7		8
Red pine	15	3	5	7
Soft maple	22	9	2	11
Spruce	12	2	4	6
Tamarack	6	1		5
White birch	20	8	3	9
White oak	8	3		5
White pine	10	2	1	7
Yellow birch	13	5		8
Other hardwoods	11	4		7
Hardwood residue	20	7	3	10
Softwood residue	11	2	2	7
Total plants 1/	48	11	16	21

^{1/} Some plants use more than one species, so numbers in columns are not additive.

Table 3.- -Average daily production of active woodpulp mills in the Lake States and Canada by mill, location, and type of pulp produced, 1992

(In tons per 24 hours)

				Type of	· ·		
			Groundwood				
		All			and other	Semi	
Company	Location	types	Sulfite	Kraft	mechanical	chemica	
Michigan							
ABT Co.	Alpena	400			400	-	
Champion International	Quinnesec	1,000		1,000		-	
Stone Container	Ontonagon	680				680	
Mead Corp.	Escanaba	1,500		1,250	250	-	
Menasha Corp.	Otsego	750				750	
Packaging Corp. of America	Filer City	850				850	
Warren Co., S.D.	Muskegon	600		600		-	
Total	7 mills	5,780		2,850	650	2,280	
Minnesota							
Blandin Paper Co.	Grand Rapids	1,400			1,400		
Lake Superior Paper Industry	Duluth	600			600		
Hennepin Paper Co.	Little Falls	100			100		
International Bildrite Inc.	International Falls	110			110		
Boise Cascade Corp.	International Falls	1,237		1,237		_	
Potlatch Corp.	Cloquet	520		520		***	
Georgia-Pacific Corp.	Bemidji	100			100	_	
Champion International	Sartell	800			800	_	
Superwood Corp.	Duluth	600			600	_	
Certain-Teed Corp.	Shakopee	80			80	_	
Total	10 mills	5,547		1,757	3,790		
Wisconsin	10 111110	3,0		.,	0,, 00		
James River Corp.	Green Bay	86	86			_	
Weyerhaeuser Co.	Rothschild	140	140			_	
Badger Paper Mills	Peshtigo	101	101			_	
Appleton Papers, Inc.	Combined Locks	550			550	_	
Consolidated Papers, Inc.	Stevens Point	100			100	-	
Consolidated Papers, Inc.	Wisconsin Rapids	1,455		900	555	_	
Cross Pointe Paper Corp.	Park Falls	375	375				
Repap Wisconsin Inc.	Kimberly	120			120	_	
Niagara of Wisconsin Paper.	Niagara	750	**		750		
Mosinee Paper Corp.	Mosinee	200		200	750		
Georgia-Pacific Corp.	Nekoosa	380		380		_	
•	Port Edwards	260		360			
Georgia-Pacific Corp. Packaging Corp. of America	Tomahawk	1,300	260			1,300	
Globe Building Materials Inc.					220	1,300	
•	Cornell	230			230	-	
Georgia-Pacific Corp.	Superior	250		450	250	-	
Thilmany Pulp and Paper Co.	Kaukauna	450		450	**	-	
Wausau Paper Mills Co.	Brokaw	235	235				
Georgia-Pacific Corp.	Philips	110			110		
Total	18 mills	7,092	1,197	1,930	2,665	1,300	
Lake States	35 mills	18,4,19	1,197	6,537	7,105	3,580	
Canada							
Abitibi-Price Inc	Thunder Bay,	390			390	-	
St. Mary's Paper Inc	Sault Ste. Marie	430	**		430	•	
Canadian Pacific Forest Prod.	Thunder Bay	1,200		1,200			
Total	3 mills	2,020		1,200	820		
Lake States and Canada	38 mills	20,439	1,197	7,737	7,925	3,580	

Table 4.--Production and imports of pulpwood, Central States, 1992

(In standard cords, unpeeled) 1/

_		Production b	y State 2/				Imports		
Species group					Regional	Lake	Other	Total	Total
and destination	Illinois	Indiana	Iowa	Missouri	total	States	U.S.	imports	receipts
Softwoods									
Lake States	223				223				
Northeastern States _	10,466	290		280	11,036				
Total	10,689	290		280	11,259				
Soft hardwoods 3/									
Central States 4/	6,647	5,954	1,751	8,201	22,553				22,553
Northeastern States	2,075			1,622	3,697				
Total	8,722	5,954	1,751	9,823	26,250				22,553
Hard hardwoods 5/									
Central States 4/	1,363	4,765	1,493	2,754	10,375	**			10,375
Northeastern States	15,930	15,141		12,466	43,537				
Total	17,293	19,906	1,493	15,220	53,912				10,375
Total roundwood									
Central States 4/	8,010	10,719	3,244	10,955	32,928				32,928
Lake States	223				223				
Northeastern States	28,471	15,431		14,368	58,270				
Total _	36,704	26,150	3,244	25,323	91,421			+-	32,928
Residues, softwoods									
Northeastern States				3,460	3,460				
Total _				3,460	3,460				
Residues, hardwoods									
Central States 4/	24,844	38,284	9,090	10,628	82,846				82,846
Lake States		15,672			15,672				
Northeastern States	15,921	69,425		76,496	161,842				
Southern States				373	373				
Total	40,765	123,381	9,090	87,497	260,733				82,846
Total residues									
Central States 4/	24,844	38,284	9,090	10,628	82,846				82,846
Lake States		15,672			15,672				
Northeastern States	15,921	69,425		79,956	165,302				
Southern States				373	373				
Total _	40,765	123,381	9,090	90,957	264,193				82,846
All wood material									
Central States 4/	32,854	49,003	12,334	21,583	115,774				115,774
Lake States	223	15,672			15,895				
Northeastern States	44,392	84,856		94,324	223,572				
Southern States				373	373				
Total	77,469	149,531	12,334	116,280	355,614				115,774

^{1/} Factors used in converting to standard green cords (128 cu. ft. including bark and air space) were:

^{4,266} pounds of softwood roundwood;

^{4,795} pounds of soft hardwood roundwood;

^{5,394} pounds of hard hardwood roundwood;

^{4,100} pounds of softwood chips (green mill residue);

^{4,400} pounds of hardwood chips (green mill residue);

^{2,500} pounds of chips (all species, dry mill residue).

^{2/} Vertical columns of figures under box heading "Production by State" present the amount of pulpwood cut in each State.

^{3/} Hardwood species with an average specific gravity of 0.50 or less.

^{4/} Combined to prevent disclosure of individual mill receipts.

^{5/} Hardwood species with an average specific gravity greater than 0.50.

Table 5.--Average daily production of active woodpulp mills in the Central States by mill, location, and type of pulp produced, 1992

(In tons per 24 hours)


	· · · · · ·				Type of pulp	
		_			Groundwood	
State and		All			and other	Semi-
company	Location	types	Sulphite	Kraft	mechanical	chemical
Illinois						
(No current operations)						
Total	0 mill					
Indiana						
Weston Paper and Mfg. Co.	Terre Haute	566				566
Total	1 mill	566				566
Iowa						
Consolidated Packaging Corp.	Fort Madison	200		200		
Total	1 mill	200		200		
Missouri						
Huebert Fibreboard, Inc.	Booneville	80			80	
Total	1 mill	80			80	
All States	3 mills	846		200	80	566

Table 6.--Lake States pulpwood production by State of origin and destination, 1988-1992

(In thousand standard cords, unpeeled)1/


MICHIGAN

	Total		Destination of p	ulpwood	
Year	production	Minnesota	Wisconsin	Michigan	Other
1988	2,920	(²)	311	2,597	12
1989	3,112	(2)	319	2,777	16
1990	2,982	`1´	313	2,645	23
1991	3,016	5	304	2,687	20
1992	2,877	3	323	2,533	18
5-year average	2,982	2	314	2,648	18




MINNESOTA

	Total		Destination of pr	Jowood	
Year	production	Minnesota	Wisconsin	Michigan	Other
1988	2,131	2,002	79	2	48
1989	2,263	2,110	116	2	34
1990	2,361	2,200	127	1	33
1991	2,391	2,269	101	**	21
1992	2,672	2,520	105		47
5-year average	2,364	2,220	106	1	37



WISCONSIN

	Total		Destination of pr	poodl	
Year	production	Minnesota	Wisconsin	Michigan	Other
1988	3,084	80	2,771	233	(²)
1989	3,161	89	2,799	272	`1
1990	3,094	83	2,768	243	
1991	3,146	69	2,799	274	4
1992	3,296	56	2,987	253	
5-year average	3,156	75	2,825	255	1



WISCONSIN 1992

^{1.} Includes mill residues used for pulp.

^{2.} Less than 500 cords.

 $\begin{array}{c} \text{Table 7.--Lake States pulpwood production by Forest Survey Unit and} \\ \text{and destination by State, 1992} \end{array}$

(In thousand standard cords, unpeeled)

	MICHIGAN			
		Destination of	pulpwood	
on	Michigan	Minnesota	Wisconsin	Other
721	628	1	80	12

		MICHIGAN			
	Total		Destination of	pulpwood	
Unit	production	Michigan	Minnesota	Wisconsin	Other
Roundwood					
Eastern Upper Peninsula	721	628	1	80	12
Western Upper Peninsula	1,102	859	3	235	5
Northern Lower Peninsula	788	786			2
Southern Lower Peninsula	39	39		••	
Total	2,650	2,312	4	315	19
Residues	228	220		8	
Total pulpwood	2,878	2,532	4	323	19

	MIN	NESOTA			
Roundwood					
Aspen-Birch	1,128		1,031	51	46
Northern Pine	1,299		1,281	18	
Central Hardwood	137		102	35	
Prairie	20		20		
Total	2,584		2,434	104	46
Residues	87	**	85	1	1
Total pulpwood	2,671		2,519	105	47

	WI:	SCONSIN			
Roundwood					
Northeast	1,117	201	1	915	
Northwest	1,201	22	50	1,129	
Central	574			574	
Southeast	35	4		31	
Southwest	81			81	
Total	3,008	227	51	2,730	
Residues	298	26	5	267	
Total pulpwood	3,306	253	56	2,997	

Table 8.--Lake States annual pulpwood production from roundwood by species, State, and Forest Survey Unit, 1988-1992

(In thousand standard cords, unpeeled)

		All spec	pecies1/					Pine					Spruce		
Unit	1988	1989	1990	1991	1992	1988	1989	1990	1991	1992	1988	1989	1990	1991	1992
Eastern Upper Peninsula	758	768	747	092	720	93	53	66	109	129	53	99	29	22	26
Western Upper Peninsula	911	1,044	989	1,045	1,101	85	70	87	88	124	39	48	36	40	43
Northern Lower Peninsula	946	986	935	923	788	123	131	113	112	111	-	-	-	-	_
Southern Lower Peninsula	29	54	46	35	39	(2/)	(2/)	(2/)	(2/)	(2/)	1	ı	ì	1	1
Total	2,674	2,852	2,717	2,763	2,648	298	254	299	309	364	93	115	99	63	70
							Z	MINNESOTA	L'A						
Aspen-Birch	922	986	1,014	979	1,129	72	99	58	55	49	114	130	137	110	115
Northern Pine	266	1,106	1,152	1,209	1,299	47	63	9/	98	89	32	33	43	31	30
Central Hardwood	94	88	106	106	136	2	က	4	10	14	(2/)	(2/)	(2/)	(2/)	
Prairie	4	က	4	12	20	1	(2/)	(2/)	1	(2/)	ı	t	;	1	i
Total	2,017	2,184	2,276	2,306	2,584	121	132	138	163	131	146	163	180	141	146
							×	WISCONSIN	z						
Northeast	1,112	1,090	1,075	1,055	1,117	170	149	152	145	141	56	27	32	17	18
Northwest	1,078	1,139	1,127	1,097	1,201	114	120	162	211	203	15	16	15	15	20
Central	552	586	595	549	574	250	246	262	277	276	2	2	-	_	2
Southwest	32	38	53	63	81	28	25	34	20	47	(2/)	(2/)	(2/)	(2/)	·
Southeast	20	16	16	20	56	12	10	10	13	16	(2/)	(2/)	(2/)	(2/)	Ì
Total	2,794	2,869	2,866	2,784	2,999	574	550	620	969	683	43	45	48	33	42
Total Lake States	7,485	7,905	7,859	7,853	8,231	993	936	1,057	1,168	1,178	282	323	294	237	258

²⁸

(Table 8 continued)

							-								
		ă	Balsam fir				I	Hemlock				_	Tamarack		
Unit	1988	1989	1990	1991	1992	1988	1989	1990	1991	1992	1988	1989	1990	1991	1992
Eastern Upper Peninsula	75	88	51	63	44	20	23	31	28	18	က	4	5	2	4
Western Upper Peninsula	33	51	33	37	36	15	19	24	50	18	2	0	က	4	က
Northern Lower Peninsula	4	4	2	က	က	(2/)	(2/)	-	(2/)	(2/)	1	1	;	:	1
Southern Lower Peninsula	;	1	1	:	ł	:	:	:	;	1	1	1	:	:	+
Total	118	143	86	103	83	35	42	26	48	36	5	9	8	6	7
							Z N	MINNESOTA	4						
Aspen-Birch	102	118	117	106	104	:	:	:	:	1	6	2	2	က	-
Northern Pine	89	80	80	06	81	•	:	i	1	:	2	က	2	-	_
Central Hardwood	-	-	(2/)	(2/)	0	:	1	1	1	1	1	1	1	(2/)	1
Prairie	:	1	:	1	1	:	1	:	:	1	:	1	:	:	;
	171	199	197	196	187	:	:	:	:	1	=	5	4	4	2
							MIS	WISCONSIN	7						
Northeast	39	38	37	31	29	40	36	32	26	22	-	2	4	6	2
Northwest	31	28	27	33	32	4	2	4	Ŋ	Ŋ	2	2	4	က	2
Central	-	-	-	(2/)	(2/)	2	2	2	2	2	_	-	-	(2/)	(2)
Southwest	(2/)	1	(2/)	ł	(2)	(2/)	1	(2/)	1	(2/)	1	1	;	:	(2)
Southeast	(2/)	:	(2/)	(2)	(2/)	(2)	;	(2)	(2/)	(2/)	:	1	:	1	1
Total	71	29	99	64	61	46	43	38	33	59	4	က	ര	9	2
Total Lake States	360	409	349	363	331	81	85	94	81	65	20	16	21	19	14
2/ Less than 500 cords.												(Table E	(Table 8 continued on next page)	d on next	page)

(Table 8 continued)

Pirch Pirc								MIC	MICHIGAN							
1988 1989 1990 1991 1992 1996 1989 1990 1991 1992 1991 1992 1991 1992 1991 1992 1991 1992 1991 1992 1991 1992 1991 1992 1991 1992 1991 1992 1991 1992 1991 1992 1992 1992 1993				Aspen					Birch				Othe	r hardwo	spc	
135 171 220 210 200 106 107 82 66 61 253 233 226 257 233 406 252 253 354 369 368 367 115 120 103 82 86 316 357 333 406 362 553 515 510 460 38 52 43 41 35 218 245 259 256 256 256 257 228 189 182 827 873 852 948 34 29 258	Unit	1988	1989	1990	1991	1992	1988	1989	1990	1991	1992	1988	1989	1990	1991	1992
293 364 369 368 367 115 120 103 82 86 316 357 333 406 46 36 52 43 41 35 218 245 259 256 1 19 16 12 61 460 38 52 43 41 35 218 245 259 256 1 1,009 1,104 1,116 1,034 1,034 259 279 228 189 182 86 87 86 87 86 34 44 52 98 89 98 98 103 188 86 86 87 86 87 86 87 86 87 86 87 86 87 86 87 86 87 86 87 86 87 86 87 86 87 86 87 86 87 86 87 87 87 87 </td <td>Eastern Upper Peninsula</td> <td>135</td> <td>171</td> <td>220</td> <td>210</td> <td>200</td> <td>106</td> <td>107</td> <td>82</td> <td>99</td> <td>61</td> <td>253</td> <td>233</td> <td>226</td> <td>257</td> <td>238</td>	Eastern Upper Peninsula	135	171	220	210	200	106	107	82	99	61	253	233	226	257	238
562 553 515 510 460 38 52 43 41 35 218 245 259 256 1 19 16 12 6 7 (21) (21) (21) (21) 40 36 259 259 29 1,009 1,104 1,116 1,034 259 279 228 189 182 827 873 852 948 8 581 616 632 643 782 10 21 21 10 18 34 44 52 88 830 909 928 959 1,073 2 2 1 2 6 16 17 2 2 8 1 4 4 7 11 86 81 94 84 110 1 1 1 4 4 7 11 1,501 1,608 1,986 1,986 13 <td>Western Upper Peninsula</td> <td>293</td> <td>364</td> <td>369</td> <td>368</td> <td>367</td> <td>115</td> <td>120</td> <td>103</td> <td>82</td> <td>98</td> <td>316</td> <td>357</td> <td>333</td> <td>406</td> <td>424</td>	Western Upper Peninsula	293	364	369	368	367	115	120	103	82	98	316	357	333	406	424
19 16 12 6 7 (21) (21) (21) (21) (41) 40 38 34 29 1,009 1,104 1,116 1,094 1,034 259 279 228 189 182 827 873 852 948 88 1,009 1,104 1,116 1,094 1,034 259 279 228 189 182 827 873 852 948 84 110 1 1 1 1 1 1 1 4 4 4	Northern Lower Peninsula	295	553	515	510	460	38	52	43	41	35	218	245	259	256	178
1,009 1,104 1,116 1,094 1,034 259 279 228 189 182 827 873 852 948	Southern Lower Peninsula	19	16	12	9	7	(2/)	(2/)	(2/)	(2/)	(2/)	40	38	34	29	32
MINNESOTA 581 616 632 643 782 10 21 21 10 18 34 34 44 52 86 81 94 84 110 1 1 1 4 4 7 11 4 3 4 12 2 2 1 2 6 16 17 22 28 86 81 94 84 110 1 1 1 4 4 7 11 1,501 1,609 1,658 1,698 1,985 13 24 23 13 25 54 55 73 91 MISON 1,659 1,698 1,985 13 24 23 13 25 54 55 54 55 73 91 MISON 1,619 41 45 15 14 14 14 14 14 14 14 <t< td=""><td>Total</td><td>1,009</td><td>1,104</td><td>1,116</td><td>1,094</td><td>1,034</td><td>259</td><td>279</td><td>228</td><td>189</td><td>182</td><td>827</td><td>873</td><td>852</td><td>948</td><td>872</td></t<>	Total	1,009	1,104	1,116	1,094	1,034	259	279	228	189	182	827	873	852	948	872
MINNESOLA 581 616 632 643 782 10 21 21 10 18 34 34 44 52 830 909 928 959 1,073 2 2 1 2 6 16 17 22 28 84 3 4 110 1 1 1 1 1 1 4 4 7 7 11,208 1,639 1,658 1,096 1,				:												
581 616 632 643 782 10 21 21 10 18 34 34 44 52 28 830 909 928 959 1,073 2 2 1 2 6 16 17 22 28 88 88 959 1,073 2 2 1 2 6 16 17 2 28 28 88 88 959 1,073 2 2 1 2 6 16 17 2 2 88 88 11 1 1 1 1 1 4 4 7 11 1 4 4 7 11 1 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Z</td> <td>NESCI</td> <td>ď</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								Z	NESCI	ď						
830 909 928 959 1,073 2 2 1 2 6 16 17 22 28 8 8 8 1 94 84 110 1 1 1 1 1 1 1 2 2 2 2 2 8 8 8 8 1 94 84 110 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Aspen-Birch	581	616	632	643	782	10	21	21	10	18	34	34	44	52	9
86 81 94 84 110 1 1 1 1 4 4 4 7 11 4 3 4 12 20	Northern Pine	830	606	928	959	1,073	7	2	-	2	9	16	17	22	28	125
1,501 1,609 1,658 1,985 1,98	Central Hardwood	98	81	94	84	110	-	-	_	-	-	4	4	7	1	00
1,501 1,609 1,658 1,985 1,584 1,629 1,985 1	Prairie	4	က	4	12	50	1	1	i	ì	1	1	:	1	1	1
WISCONSIN 418 437 409 414 452 151 146 136 137 147 267 254 272 282 573 573 520 513 554 139 151 149 107 134 200 243 246 210 176 184 151 149 175 23 35 45 27 25 97 113 134 93 3 12 14 11 29 (2/) 1 4 1 <td< td=""><td>Total</td><td>1,501</td><td>1,609</td><td>1,658</td><td>1,698</td><td>1,985</td><td>13</td><td>24</td><td>23</td><td>13</td><td>25</td><td>54</td><td>55</td><td>73</td><td>91</td><td>193</td></td<>	Total	1,501	1,609	1,658	1,698	1,985	13	24	23	13	25	54	55	73	91	193
418 437 409 414 452 151 146 136 137 147 267 254 272 282 573 573 520 513 554 139 151 149 107 134 200 243 246 210 176 184 151 149 175 23 35 45 27 25 97 113 134 93 3 12 14 11 29 (2/) 1					,			MIS	CONSII	7						
573 573 573 520 513 554 139 151 149 175 23 35 45 27 25 97 113 246 210 3 12 14 11 29 (2/) 1	Northeast	418	437	409	414	452	151	146	136	137	147	267	254	272	282	306
176 184 151 149 175 23 35 45 27 25 97 113 134 93 3 12 12 2 3 6 1 (2/) (2/) (2/) (2/) (2/) (6/) 659 590 1,171 1,208 1,096 1,090 1,216 314 333 331 272 307 571 615 659 590 States 3,681 3,921 3,870 3,882 4,235 586 636 636 582 474 514 1,452 1,543 1,584 1,629	Northwest	573	573	520	513	554	139	151	149	107	134	200	243	246	210	251
3 12 14 11 29 (2/) 1 1 1 1 1 1 1 1 4 1 1 4 1 1 1 1 1 1 1	Central	176	184	151	149	175	23	35	45	27	25	6	113	134	93	94
1,171 1,208 1,096 1,090 1,216 314 333 331 272 307 571 615 659 590 States 3,681 3,921 3,870 3,882 4,235 586 636 582 474 514 1,452 1,543 1,584 1,629	Southwest	က	12	14	1	59	(2/)	-	-	-	-	-	-	4	-	က
1,171 1,208 1,096 1,090 1,216 314 333 331 272 307 571 615 659 590 3,681 3,921 3,870 3,882 4,235 586 636 582 474 514 1,452 1,543 1,584 1,629	Southeast	-	7	2	က	9	-	(2)	(2/)	(2/)	(2/)	9	4	က	4	က
3,681 3,921 3,870 3,882 4,235 586 636 582 474 514 1,452 1,543 1,584 1,629	Total	1,171	1,208	1,096	1,090	1,216	314	333	331	272	307	571	615	629	290	657
	Total Lake States	3,681	3,921	3,870	3,882	4,235	586	636	582	474	514	1,452	1,543	1,584	1,629	1,722

Table 9.--Michigan pulpwood production from roundwood by county and species group, 1992

(In standard cords, unpeeled)

	_						ecies group)				
	All		Balsam		Jack	Red	White		Tama-			Balsar
Jnit and county 1/	species	Cedar	fir	Hemlock	pine	pine	pine	Spruce	rack	Ash	Aspen	popla
E. UPPER PENINSUL												
Alger	98,199	609	6,815	3,164	10,057	3,975	1,324	1,913	582	818	16,495	3,70
Chippewa	97,567	374	4,779	2,090	19,626	2,816	883	3,439	366	240	35,538	9,71
Delta	141,829	619	7,414	3,623	18,136	4,568	1,359	4,220	660	875	41,865	4,36
Luce	64,252	286	4,008	1,572	9,265	1,883	627	2,724	276	317	17,441	5,82
Mackinac	88,516	288	4,864	1,534	6,243	1,891	715	4,707	259	434	25,531	9,16
Menominee	110,065	345	5,250	1,922	7,344	3,025	768	4,372	542	828	41,364	3,36
Schoolcraft	119,975	932	10,712	4,515	24,952	6,981	2,054	4,395	970	649	21,647	3,59
Total	720,404	3,453	43,843	18,420	95,622	25,139	7,730	25,770	3,655	4,162	199,881	39,72
/. UPPER PENINSU												
Baraga	79,896	116	1,389	710	6,032	1,082	259	973	128	1,496	27,433	2,4
Dickinson	165,224	637	7,748	3,488	15,810	6,627	1,433	7,035	851	604	74,793	4,9
Gogebic	64,791		1,045	735	1,239	925	58	1,207	36	1,148	20,309	7
Houghton	98,445	109	2,887	853	7,366	1,686	241	3,625	199	968	25,380	3,9
Iron	157,561	85	4,362	959	3,980	1,421	332	10,192	237	1,524	45,704	3,6
Keweenaw	9,988		10		52	2,290	207	240		74	1,679	
Marquette	350,780	1,540	17,802	11,121	55,615	10,271	3,380	17,203	1,877	2,216	85,767	11,4
Ontonagon	174,538		1,001	478	3,400	933	••	2,881	64	5,813	85,653	5,2
Total	1,101,223	2,487	36,244	18,344	93,493	25,235	5,911	43,357	3,391	13,844	366,719	32,4
. LOWER PENINSU	LA											
Alcona	48,162	8	60	1	3,727	256	36	15		999	32,478	1,0
Alpena	24,301			••	260	48				421	18,530	6
Antrim	5,944	••		••	674	252	4			57	3,867	
Arenac	16,124				175	79				495	11,463	
Bay	399										124	
Benzie	3,803									32	2,787	
Charlevoix	6,952				42	76				87	1,951	
Cheboygan	56,791	85	1,218	8	6,686	859	57	553		431	31,041	2
Clare	34,451		·		1,508	160	7			152	24,520	
Crawford	31,236				14,193	337	127			36	9,655	
Emmet	16,748	43	343	4	95	156		83		65	8,862	
Gladwin	26,112			·	547	23				13	21,326	
Grand Traverse	11,455				2,058	1,209				71	4,639	
losco	13,784				289	611		••		195	9,530	1
Isabella	12,535				394	237				193	10,764	'
Kalkaska	25,314				8,461	1,904	80			33	•	
						1,904					10,403	
Lake	35,435				3,788					264	18,703	
Leelanau	2,255										1,229	
Manistee	21,674				22	268				264	8,953	
Mason	17,878				22	43				118	12,465	
Mecosta	18,405			••	37	42		••		476	14,055	
Midland	9,895									59	8,359	
Missaukee	34,876				822	1,434				205	23,623	
Montmorency	36,470	3	26		4,344	388	37	6		509	23,538	2
Newaygo	29,937			••	133	44		••		189	20,928	
Oceana	11,463							••		74	7,170	
Ogemaw	18,464				747	10				191	11,834	1
Osceola	32,152				46	183				393	23,653	
Oscoda	44,515			••	25,032	1,563	160			336	12,158	2
Otsego	49,342				9,871	, 786	68			415	19,927	
Presque Isle	45,795	58	959	5	5,642	59	51	477		869	24,541	7
Roscommon	27,377				6,408	350	5			51	15,815	
Wexford	18,240				712	1,403				123	11,062	
Total	788,281	197	2,606	19	96,734	12,787	632	1,134		7,623	459,952	3,6

(Table 9 continued on next page)

(Table 9 continued)

						Sp	ecies group)				
	All		Balsam		Jack	Red	White		Tama-			Balsam
Unit and county 1/	species	Cedar	fir	Hemlock	pine	pine	pine	Spruce	rack	Ash	Aspen	poplar
S. LOWER PENINSU	JLA											
Allegan	13,368							**	***		2,104	
Barry	721						***	***			656	
Calhoun	667											
Cass	1,462										-	
Gratiot	21								-		21	
Ionia	1,051									106	2	***
Kent	2,511									1	171	***
Lenawee	273							***			100	
Montcalm	6,339				61	61				166	1,903	
Muskegon	6,966									43	1,367	
Ottawa	506			••							231	
St. Joseph	2,623											
Van Buren	2,623			**	**							**
Total	39,131			***	61	61			**	316	6,555	
State total	2,649,039	6,137	82,693	36,783	285,910	63,222	14,274	70,260	7,046	25,944	1,033,106	75,823

^{1/} Includes only those counties that supplied pulpwood in 1992.

(Table 9 continued on next page)

Table may not add to totals due to rounding in data base.

(Table 9 continued) Species group White Yellow Cotton-Bass-White Hard Soft Red Other Beech birch birch Unit and county 1/ wood wood Elm Hickory maple maple oak oak hardwood E. UPPER PENINSULA 3,278 2 074 Alger 1,251 5.187 --156 20,963 12,813 688 2,328 655 Chippewa 480 1,094 3.044 __ 27 5,469 6,063 147 721 Delta 1,254 3,164 11,033 1,249 .. 169 21,345 12.897 754 20 2,241 Luce 451 914 4,006 407 78 8,426 4,762 351 634 689 1,746 9,508 1,087 70 10,640 Mackinac 7,692 308 1,146 Menominee 803 1,788 15,752 1,089 118 10,849 8,532 691 36 1.288 Schoolcraft 979 2,801 4,673 1,722 103 15,797 10,029 461 11 2,000 93,488 5,908 14,786 53,203 8,283 --720 62,788 3,399 68 Total 10,358 W. UPPER PENINSULA 1,879 915 5.067 1.793 2 93 18,326 7.954 1,024 Baraga 14 770 2,052 13.955 1,282 97 13.064 Dickinson 781 8,111 454 31 1,464 17 Gogebic 1,281 1,173 1,081 876 1.064 19,567 10,187 1,113 93 880 Houghton 1,291 2,211 4,677 2,466 2 152 24,970 12,621 1,006 35 1,766 1,839 2,794 16,011 1,756 2 377 38,507 Iron 19.813 1,889 91 1,999 98 148 185 234 21 3,082 1,401 133 134 Keweenaw 2.963 7,194 25,969 4,315 421 53,179 31,215 2.009 Marquette 104 5.146 2,814 Ontonagon 8,007 1,007 4,268 2,544 40 150 35,824 13,713 34 689 17,494 71,213 15,266 63 2,375 206,518 105,014 18,139 10,441 402 Total 12,849 N. LOWER PENINSULA 3.978 391 4.374 Alcona 97 155 ----528 7 29 70 185 1,957 Alpena 2.144 --11 8 **Antrim** 59 91 161 263 490 --8 7 67 565 43 ----468 1,872 502 257 54 Arenac 275 Bay 82 48 6 408 50 12 Benzle 156 189 34 Charlevoix 223 122 779 1,224 2,443 Cheboygan 454 270 3.736 1.997 7.830 1.368 Clare 61 919 140 203 3.288 2.461 796 237 708 Crawford 130 66 1.004 2.281 2.660 38 233 1,501 3.689 Emmet 119 1.555 --Gladwin 48 25 634 ----456 2.944 44 47 **Grand Traverse** 107 99 214 17 602 1,123 697 386 215 losco 16 29 960 69 1,949 8 1 0 72 1,067 Isabella 47 19 Kalkaska 64 527 1,173 2,118 275 186 24 Lake 215 243 204 45 1,031 2,814 4,817 2,993 306 227 167 325 73 76 Leelanau 89 70 301 1,287 Manistee 981 697 4 2,498 2,980 1.709 1,711 515 30 1,380 Mason 113 151 419 1,277 1,067 279 Mecosta 15 344 46 552 1,416 864 511 48 Midland 33 233 15 82 741 206 135 22 323 30 319 14 2,090 4,037 1,023 787 169 Missaukee Montmorency 117 111 2.473 433 2,943 1,342 160 112 101 615 2,718 2,907 1,898 134 Newaygo 24 112 754 1.650 1.526 68 Oceana 38 45 338 1,700 83 35 Ogemaw 110 54 1.448 1.741 701 104 1,575 3.406 1.122 416 170 Osceola 174 209 --892 353 1.962 1,736 Oscoda 23 53 Otsego 564 586 2,426 --4.674 9.944 Presque Isle 173 273 6,600 437 4,531 330 2 Roscommon 4 8 509 2 -----210 2,783 649 548 Wexford 465 230 88 24 781 1,961 861 275 255 84,033 Total 5,039 4,405 34,222 570 26,692 30,860 13,749 3,358

MICHIGAN

(Table 9 continued on next page)

(Table 9 continued)

_						Species	group					
	Bass-		White	Yellow	Cotton-			Hard	Soft	Red	White	Other
Unit and county 1/	wood	Beech	birch	birch	wood	Elm	Hickory	maple	maple	oak	oak	hardwood
S. LOWER PENINSU	JLA											
Allegan		_	**		**		**	-	3,084	3,931	4,249	
Barry		**	2				**	**	63			
Calhoun	**							***	22	310	335	_
Cass				**	**		***		29	689	745	**
Gratiot		**		**						_	**	_
Ionia	**	67		-	**			168	188	314	116	90
Kent			2		**			2	951	743	640	1
Lenawee								173	***			••
Montcalm		85	10	8				329	508	1,779	1,358	71
Muskegon		41	7	6			••	29	331	2,665	2,471	6
Ottawa			5		**	**		_	55	103	112	_
St. Joseph	**				**		**		845	1,033	745	
Van Buren									845	1,033	745	
Total		193	26	14				701	6,920	12,601	11,515	168
State total	29,086	36,878	158,664	24,134	63	3,095		327,400	258,755	57,301	25,733	26,733

^{1/} Includes only those counties that supplied pulpwood in 1992.

Table may not add to totals due to rounding in data base.

Table 10.--Minnesota pulpwood production from roundwood by county and species group, 1992

(In standard cords, unpeeled)

	_					Spe	ecies group)				
	All		Balsam		Jack	Red	White		Tama-			Balsan
Unit and county 1/	species	Cedar	fir	Hemlock	pine	pine	pine	Spruce	rack	Ash	Aspen	popla
ASPEN-BIRCH												
Carlton	42,250		9,735		1,032	174		2,007	54	218	21,641	163
Cook	72,330		5,408		52			11,832	15		54,119	-
Koochiching	375,814		24,996		6,521	572		48,665	609		262,155	32,296
Lake	98,244		13,002		8,054	4,504		14,182	104		49,179	1,658
St. Louis	540,358		50,735		25,113	2,596		38,639	109	714	394,868	20,805
Total	1,128,996		103,875		40,773	7,846		115,326	892	931	781,962	54,922
NORTHERN PINE												
Aitkin	101,916		5,552		755	47		841		565	89,680	1,021
Becker	110,429		731		788	292		2			105,656	2,960
Beltrami	166,922		11,685		7,290	1,070		3,373	350		140,016	3,139
Cass	187,839		5,124		8,178	880		1,392			163,484	6,089
Clearwater	69,809		2,070		1,602	458		868	60		63,864	888
Crow Wing	72,859		545		3,217	961		38			68,018	-
Hubbard	96,629		491		3,211	822		213			89,505	2,368
Itasca	410,621		53,059		7,683	1,472		19,643		1,033	307,465	12,193
Lake of the Woods	40,204		2,126		15,661	58		2,803	98		18,943	514
Mahnomen	13,390		-,					-,			13,242	148
Roseau	20,759		24		12,931	29		1,142			6,119	514
Wadena	8,053				624	146					7,283	_
Total	1,299,430		81,407		61,941	6,234		30,313	508	1 508	1,073,275	29,833
CENTRAL HARDWOO			01,407		01,041	0,204		00,010	300	1,000	1,070,270	23,000
Benton	392										392	_
Chisago	8										8	_
Isanti	1,739				236	1,185		14			303	_
Kanabec	11,583				31						11,470	82
Mille Lacs	39,231		34		4,688	4,688	4,777	14			25,030	-
Morrison	9,280				4,000	4,000		22			9,259	_
Otter Tail	3,836										3,836	_
Pine	67,440		1.698		1,497	1,462		590		521	57,376	612
Sherburne	1,014		1,036		93	894	6	21		521	57,570	-
Stearns	293					034					293	
Todd			-									
Total	1,677		1 700		6.546	8,229	4 700				1,677	
PRAIRIE	136,493		1,732		6,546	8,229	4,783	660		521	109,643	694
											4.004	
Marshall	1,934										1,934	-
Norman	3,771										3,771	-
Pennington	4,395										4,395	-
Polk	5,007										5,007	-
Red Lake	4,855										4,825	29
Sibley	132					132						
Total	20,094					132					19,933	29

(Table 10 continued on next page.)

Species group Bass-White Yellow Cotton-Hard Soft Red White Other Unit and county 1/ wood Beech birch birch Hickory wood Elm maple maple oak oak hardwood ASPEN-BIRCH Carlton 260 6,144 821 Cook 904 Koochiching Lake 16 7,547 St. Louis 852 3,214 2,712 Total 1,127 --17,809 ---------3,533 **NORTHERN PINE** Aitkin 700 576 2,180 Becker Beltrami Cass 2,691 Clearwater Crow Wing 80

MINNESOTA

Hubbard			20			**		**				**
Itasca	1,232		2,945	••					3,896		**	
Lake of the Woods									**			**
Mahnomen									••			
Roseau									**		**	
Wadena												**
Total	1,932		6,312	••					6,076			
CENTRAL HARDWOOD)											
Benton												••
Chisago				**	**				••	••		
Isanti									**			
Kanabec				••			••					
Mille Lacs												
Morrison			**									
Otter Tail			**						**	**		**
Pine	622		928		••	••			2,135			
Sherburne			**									
Stearns	••					**	••					
Todd					**	**						
Total	622	**	928						2,135			
PRAIRIE												
Marshall					**	••				••		
Norman							••		••			
Pennington												

Pennington Polk Red Lake Sibley Total ------------State Total 3,681 --11,744

(Table 10 continued)

^{1/} Includes only those counties that supplied pulpwood in 1992.

Table 11.--Wisconsin pulpwood production from roundwood by county and species group, 1992

(In standard cords, unpeeled)

	_						ecies group					
	All	_	Balsam		Jack	Red	White	_	Tama-			Balsa
Jnit and county 1/	species	Cedar	fir	Hemlock	pine	pine	pine	Spruce	rack	Ash	Aspen	pop
NORTHEAST												
Florence	84,125		2,785	3,190	563	2,280	157	2,647		1,005	40,449	7
Forest	124,689		6,223	1,531	983	5,807	244	4,625	386	5,012	37,617	7
Langlade	119,888		3,565	1,000	3,612	3,436	329	1,144	308	4,135	51,872	4
Lincoln	114,427		2,074	591	2,825	5,814	465	926	292	3,853	58,035	3
Marinette	161,180	2	4,374	150	22,937	16,232	1,059	2,185	534	1,267	67,541	4
Menominee	62,649	12	200	13,008	2,707	3,343	4,838	57	23	1,756	14,816	2
Oconto	75,733		554	125	6,438	12,708	419	103	15	646	33,764	6
Oneida	174,658		4,758	684	9,459	10,648	3,350	4,022	468	6,612	60,068	4
Shawano	30,393	••	49	953	259	3,560	104	223	23	659	16,766	2
Vilas	169,373		4,251	295	8,419	6,515	2,478	2,041	169	2,918	70,985	9
Total	1,117,115	14	28,832	21,527	58,200	70,342	13,441	17,973	2,219	27,863	451,914	5,3
IORTHWEST												
Ashland	89,245		5,306	545	8,776	2,172	1,060	4,695	253	3,628	29,541	
Barron	30,595		13	32	2,731	2,460	163	302		486	18,757	
Bayfield	197,244		2,273	66	44,157	7,339	488	1,662	78	2,475	97,182	
Burnett	67,449		78		25,672	10,690	13	22		271	26,482	
Douglas	130,285		6,892	24	34,893	11,378	109	900		847	56,624	
Iron	137,983	202	7,220	2,157	3,904	2,398	657	5,400	297	3,711	67,574	
Polk	15,545		13		2,221	979		15		148	9,730	
Price	124,080		4,914	987	1,883	5,298	591	3,247	693	4,095	56,182	
Rusk	98,771		265	304	903	1,979	136	754	363	4,880	37,621	
	131,694		2,296	298	2,871	3,426	976	1,748	483	6,232	54,612	
Sawyer	86,429		2,339	1,016	274	544		673	134	2,671	49,834	
Taylor	•					7,792	224	278	104			
Washburn	91,604	202	317	13 5,441	14,565 142,850		4,418	19,695	2,301	2,351	50,308	
Total	1,200,925	202	31,924	3,441	142,030	56,456	4,410	19,095	2,301	31,795	554,448	
ENTRAL	77.044				20.000	07.116	2.006	00		004	1 000	
Adams	77,044				39,000	27,116	3,806	23		294	1,829	
Chippewa	62,287		46	86	874	2,284	116	141	11	1,963	37,108	
Clark	85,035				2,840	3,490	470		66	2,886	48,999	
Eau Claire	36,534	-		12	10,782	7,874	317	34		616	10,845	
Jackson	68,697		12		32,732	7,912	1,477	89	42	607	16,544	
Juneau	33,619				19,715	7,999	932	24		273	707	
Marathon	63,890		228	1,137	2,318	5,158	644	895		2,212	31,249	
Marquette	13,381		7		1,037	9,865	1,807	24		57		
Monroe	18,232		6		8,143	6,678	774	88		246	547	
Portage	28,023		11	244	4,908	10,573	1,556	110	29	424	5,849	
Waupaca	24,132		50	486	713	10,456	988	105		389	6,759	
Waushara	30,950		**		1,631	23,314	3,778	38		72	1,334	
Wood	31,834		4	44	4,263	6,269	1,357	49	19	579	13,475	
Total	573,656		364	2,008	128,955	128,988	18,022	1,618	167	10,617	175,246	
OUTHWEST				·								
Buffalo	5,473				121	2,184	267	85		24	2,588	
Crawford	22			••		11					-,	
Dunn	26,782		25		3,241	11,225	416	73	19	295	9,103	
Grant	167				10	143					14	
lowa	2,499	••			142	2,021	336					
La Crosse	2,875				1,143	947	246	100		44	23	
Lafayette	30				1,143		18					
Pepin			26		81	744	89	11			636	
•	1,587						9			1	292	
Pierce	505				79	96		22				
Richland	439				38	200	164	404		2		
Sauk	12,136		12	7	917	9,059	1,484	184		24	9	
St Croix	15,267		14		242	1,485	82	86		3	13,196	
Trempealeau	13,226				360	8,532	910	131		61	2,676	
Vernon	245					232	13					

(Table 11 continued on next page)

(Table 11 continued)

						Sp	ecies group					
	All		Balsam		Jack	Red	White		Tama-			Balsam
Unit and county 1/	species	Cedar	fir	Hemlock	pine	plne	pine	Spruce	rack	Ash	Aspen	poplar
SOUTHEAST												
Brown	4,660				11	163	**			19	3,850	411
Columbia	6,552		**		393	5,132	730	81		11	88	
Dane	568		**	**	23	266	93	10		19	***	
Dodge	54	**		***	31	23		**		-		
Door	110			**	**	26		010	**	3	55	
Fond Du Lac	357	**	**	••	**	296	12			3	4	
Green	646			••	221	325	78			2		
Green Lake	1,302				34	1,013	174	0.0		5	14	**
Jefferson	2,147	***		**	309	1,648	190		**			
Kenosha	38	**	11	**	13		**	**		-	14	••
Kewaunee	42		**		-	34	**			1	**	
Manitowoc	330	**		9	***	33	3	17		27	**	
Milwaukee	20					11	9			***		***
Outagamie	3,187				11	143	10	***		115	1,819	**
Ozaukee	69		9			21	38	**	••			
Rock	2,066	••	••	**	25	1,877	133	31				
Sheboygan	227	••	**	***	••	227		***		***		
Walworth	55		••	**	28	15	12					
Washington	69			**		41	13	16		***		***
Waukesha	2,984	**	**	**	11	1,790	793	390	••	**	***	
Winnebago	155	**	**							14	28	
Total	25,636		20	9	1,110	13,082	2,288	545		219	5,871	411
State total	2,998,584	216	61,217	28,992	337,501	305,747	42,204	40,524	4,706	70,948	1,216,016	6,257

^{1/} includes only those counties that supplied pulpwood in 1992.

(Table 11 continued on next page)

(Table 11 continued)						WISCO						
-	Bass-		White	Yellow	Cotton-	Species	group	Hard	Soft	Red	White	Othe
Unit and county 1/	wood	Beech	birch	birch	wood	Elm	Hickory	maple	maple	oak		hardwood
NORTHEAST	***************************************	Docon	5.1011	2.1011			· iloitory	mapro	mapio	Our	Ouk	narawoo
Florence	1,143	618	9,753	423	24	300		10,237	6,138	998	208	439
Forest	2,148	494	16,691	1,643	50	3,670		18,838	13,566	2,678	1,337	399
Langlade	2,736	271	12,676	1,466	76	2,681	**	15,779	10,242	2,723	964	439
Lincoln	5,345	49	10,789	496	151	1,539		8,476	5,328	5,589	389	1,020
Marinette	1,389	1,064	13,899	502	21	181		16,133	9,166	1,188	138	772
Menominee	206	130	2,628	882	1	785		6,866	7,001	2,606	194	29
Oconto	487	405	7,295	355	6	139		6,736	3,985	530	126	286
Oneida	8,848	168	24,840	706	242	399		16,680	9,553	9,895	949	1,83
Shawano	162	11	1,540	288	4	150		2,297	2,269	690	127	20
Vilas	3,656	451	38,598	893	93	924		13,305	8,853	2,465	597	550
Total	26,121	3,661	138,710	7,654	668	10,767		115,345	76,100	29,363	5,029	6,06
NORTHWEST	20,121			.,,					. 0,100		0,020	0,000
Ashland	934	11	9,727	839	14	518		9,984	7,050	2,693	1,245	242
Barron	175		2,246	66	2	44		1,157	1,144	630	79	106
Bayfield	1,409	1	24,839	542	13	211		5,511	6,323	1,884	523	256
Burnett	33		1,891	61		9		855	1,071	138	44	120
Douglas	824		12,192	36		8		1,071	4,243	165	59	15
Iron	2,836	485	9,476	863	61	1,231		14,653	9,139	4,031	727	862
Polk	43	1	546	19		4		1,229	333	213	13	39
Price	5,682	33	15,373	641	156	1,217		9,373	6,999	5,049	553	95
Rusk	2,795	13	15,004	932	45	599		14,054	10,155	5,902	944	1,080
Sawyer	2,793	19	22,285	1,865	65	1,613		14,272	10,646	3,583	1,254	540
•	2,033	123	5,749	866	49	3,760		7,163	6,821	1,756	291	284
Taylor Washburn	159		7,693	160	1	3,760		2,781	3,656	709	122	11-
Total	19,471	686	127,022	6,890	405	9,575		82,103	67,580	26,752	5,853	4,615
CENTRAL	13,471	000	127,022	0,000	703	3,373		02,100	07,300	20,732	3,033	4,010
Adams	120		588	12	-	2		673	308	2,865	303	106
Chippewa	1,268	9	5,303	165	19	288		4,608	3,918	3,271	184	605
Clark	999	11	7,236	559	16	730		6,776	7,440	1,538	710	25
Eau Claire	212	6	1,508	135	3	260		1,623	1,467	573	162	99
Jackson	225		2,410	122	4	108		1,753	3,431	808	358	59
Juneau	119		535	26	1	6		997	888	996	326	7:
Marathon	1,261	70	2,488	808	34	2,770		5,614	4,657	1,786	285	24
		70	2, 4 00 71	13		19		136	140			24
Marquette	15									163	9	
Monroe	27		555	17		31		354	470	141	30	12
Portage	551	2	712	101	17	66		1,333	1,017	372	76	56
Waupaca	69	3	283	173	1	81		1,444	1,564	482	40	40
Waushara	26		120	15		4		182	146	261	12	18
Wood	147		1,205	86	2	76		1,341	2,320	405	150	4
Total	5,039	101	23,015	2,233	97	4,442	**	26,835	27,766	13,660	2,648	1,740
SOUTHWEST				•				-00	4-7	4.4	•	
Buffalo	3		56	6		1		68	47	14	9	
Crawford	400	-						10		475		
Dunn	130		585	23	1	5		689	352	475	38	86
Grant												
lowa	-							400				
La Crosse	5		103	10		2		123	85	25	18	,
Lafayette											**	
Pepin										••		
Pierce		-				2		2	2			
Richland				2				7	13	13	1	
Sauk	3		57	6		, 1		183	163	15	9	
St. Croix			129	2		10		9	9			
Trempealeau	16		132	8		17	*-	144	129	68	14	28
Vernon	••	••	••	**		**						
Total	157		1,064	58	1	38		1,234	800	609	89	117

(Table 11 contined on next page)

(Table 11 continued)

						Species	group					
	Bass-		White	Yellow	Cotton-			Hard	Soft	Red	White	Other
Unit and county 1/	wood	Beech	birch	birch	wood	Elm	Hickory	maple	maple	oak	oak	hardwood
SOUTHEAST												
Brown	20		8	10	1			74	81	17	2	2
Columbia	1		22	4		1		33	32	19	5	
Dane	2	***	44	4		1		52	36	10	7	
Dodge	**	**	**	**	**				***	**	**	-
Door	**		1	1	**			12	12		***	
Fond Du Lac	**	**	2	2	**			14	14		4-0	
Green			5	1				7	5	1	1	
Green Lake	1	**	10	2	**			16	15	14	2	1
Jefferson		**		••	**				••			**
Kenosha				↔								
Kewaunee		••	1					3	3		**	
Manitowoc	••	**	14	13				107	107		**	
Milwaukee			**	**		••	**		**			
Outagamie	40		194	41	***	4	**	370	322	82	33	3
Ozaukee			••	••	**						**	
Rock			**	••	••				**		***	**
Sheboygan	••	**	••	~~			••		**			
Walworth			**	••		••	***		**			
Washington		••				••	↔		**			
Waukesha							**	••				-
Winnebago	2		29	3				36	27	10	5	
Total	66		331	81	1	6		725	654	154	56	6
State total	50,854	4,448	290,140	16,916	1,172	24,829		226,242	172,900	70,537	13,675	12,543

^{1/} Includes only those counties that supplied pulpwood in 1992.

Table 12.--Central States pulpwood production by State and destination, 1987-1992

(In thousand standard cords, unpeeled)

	-	Illinois			Indiana			Iowa		*	Missouri	
		Desti	nation		Desti	ination		Desti	nation		Desti	nation
		Central	Other		Central	Other		Central	Other		Central	Other
Year	Total	States	States	Total	States	States	Total	States	States	Total	States	States
1987	91	35	56	178	76	102	23	23		111	29	82
1988	92	38	55	179	73	106	26	26		101	24	77
1989	92	32	60	170	68	102	25	25		109	18	91
1990	76	33	43	189	75	114	14	14		95	19	76
1991	81	37	44	157	56	101	14	14		87	17	70
1992	77	33	44	150	49	101	12	12		116	22	94

Table 13.--Trends in receipts of roundwood and residue as pulpwood, Central States, 1988-1992

(In thousand standard cords, unpeeled)

Type of material and area	1988	1989	1990	1991	1992
Roundwood					
Illinois	-	-	-	-	_
Indiana, Iowa, Missouri	62	53	44	44	33
Total	62	53	44	44	33
Residue					
Illinois	_	_	_	_	_
Indiana, Iowa, Missouri	99	91	97	85	83
Total	99	91	97	85	83
All material	161	144	141	129	116

The United Stetes Department of Agriculture (USDA) Forest Service is e diverse organization committed to equel opportunity in employment and program delivery. USDA prohibits discrimination on the basis of race, color, national origin, ege, religion, sex, disability, political effiliation and familial status. Persons believing they have been discriminated against should contact the Secretary, US Department of Agriculture, Washington, DC 20250, or call 202-720-7327 (voice), or 202-720-1127 (TDD).

Hackett, Ronald L.; Piva, Ronald J.

1994. Pulpwood production in the North-Central Region, 1992.
Resour. Bull. NC-159. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 41 p.

Lake States pulpwood production increased to 8.8 million cords in 1992. Central States pulpwood production increased about 5 percent—from 339 thousand cords in 1991 to 356 thousand cords in 1992. Pulpwood production is shown by county and species group for Michigan, Minnesota, Wisconsin, Iowa, Missouri, Illinois, and Indiana.

KEY WORDS: Roundwood, whole-tree chips, residue, Minnesota, Michigan, Wisconsin, Illinois, Iowa, Indiana, Missouri.

Our job at the North Central Forest Experiment Station is discovering and creating new knowledge and technology in the field of natural resources and conveying this information to the people who can use it. As a new generation of forests emerges in our region, managers are confronted with two unique challenges: (1) Dealing with the great diversity in composition, quality, and ownership of the forests, and (2) Reconciling the conflicting demands of the people who use them. Helping the forest manager meet these challenges while protecting the environment is what research at North Central is all about.

